

Computational Mechanics

**Solids, Fluids, Fracture, Transport Phenomena
Multi-Body Dynamics and Variational Methods**

Vol. 7 • 1990/91

Editors-in-Chief

S. N. Atluri
Atlanta

G. Yagawa
Tokyo



Springer International

Computational Mechanics

The purpose of this journal is to report original research of scholarly value and of reasonable permanence in those areas of computational mechanics which involve and enrich the rational application of mechanics, mathematics, and numerical methods in the practice of modern engineering. The scope of the research reported in this journal will include theoretical and computational methods, and their rational application, in: (a) solid and structural mechanics, multi-body system dynamics, constitutive modeling, inelastic and finite deformation response, structural control; (b) fluid mechanics and fluids engineering, compressible and incompressible flows, and aerodynamics; (c) fracture mechanics and structural integrity; (d) transport phenomena and heat transfer; and (e) modern variational methods in mechanics, in general.

Editors-in-Chief

S. N. Atluri, Center for the Advancement of Computational Mechanics, School of Civil Engineering, Georgia Institute of Technology, Atlanta, GA 30332, USA, Tel. (404) 894-2758, Telex 542 507 GTRC OCA ATL

G. Yagawa, Department of Nuclear Engineering, The Faculty of Engineering, The University of Tokyo, Bunkyo-ku, Tokyo, 113 Japan, Tel. (03) 812-2111

Senior Advisors

I. Babuska, College Park, MD · A. S. Kobayashi, Seattle, WA · Th. H. H. Pian, Cambridge, MA

Managing Editors

H. Abé, Sendai
T. Belytschko, Evanston, IL
P.G. Bergan, Høvik
D.E. Beskos, Patras
F. Brezzi, Pavia

W.-H. Chen, Hsinchu
Y.-K. Cheung, Hong Kong
P.G. Ciarlet, Paris
M. Geradin, Liège
N.S. Khot, Wright Patterson
AFB, OH
M. Kleiber, Warsaw

H. A. Mang, Vienna
L. Morino, Boston, MA
A.K. Noor, Hampton, VA
E. Oñate, Barcelona
S.V. Patankar, Minneapolis, MN
C.V. Ramakrishnan, New Delhi
A. Samuelsson, Göteborg

Y. Seguchi, Osaka
J.C. Simo, Stanford, CA
E. Stein, Hannover
R.I. Tanner, Sydney
Y. Yoshida, Tokyo
D.-C. Zhu, Beijing

Editorial Advisory Board

A.K. Amos, Washington, DC
S. Aoki, Tokyo
D.J. Arnold, State College, PA
J.S. Arora, Iowa City, IA
R.S. Barsoum, Watertown, MA
H. Buslert, Stuttgart
H.D. Bui, Paris
T.Y. Chang, Akron, OH
D.-P. Chen, Emei
M.A. Crisfield, Berkshire
T.A. Cruse, San Antonio, TX
E.H. Dill, Piscataway, NJ

Q.-H. Du, Beijing
G. Gallavotti, Rome
M. Hafez, Davis, CA
R.T. Haftka, Blacksburg, VA
P. Harbord, Berlin
G.C. Hsiao, Newark, DE
R. Jones, Melbourne
M.F. Kanninen, San Antonio, TX
M. Kawahara, Tokyo
F. Kikuchi, Tokyo
N. Kikuchi, Ann Arbor, MI
F.G. Kollmann, Darmstadt
W.B. Kräitzig, Bochum
R.D. Krieg, Albuquerque, NM

S.W. Lee, College Park, MD
C.-X. Li, Beijing
R. McMeeking, Santa Barbara, CA
T. Miyoshi, Tokyo
S. Mukherjee, Ithaka, NY
T. Mura, Evanston, IL
A. Needleman, Providence, RI
H. Ohtsubo, Tokyo
L. Olson, Ann Arbor, MI
P.M. Pinsky, Stanford, CA
R. Piva, Rome
Y. Rajapakse, Arlington, VA
I.S. Raju, Hampton, VA
K.N. Raju, Bangalore

R. Rannacher, Saarbrücken
F.J. Rizzo, Ames, IA
W. Schiehlen, Stuttgart
R. Schwertassek, Oberpfaffenhofen
C.F. Shih, Providence, RI
R.L. Spilker, Troy, NY
M. Tanaka, Nagan
L.-M. Tang, Dalian
T.E. Tezduyar, Minneapolis, MN
P. Tong, Cambridge, MA
S. Valliappan, Sydney
W. Wendland, Darmstadt
W. Wunderlich, Bochum
L.-A. Ying, Beijing

Manuscripts: Manuscripts should be sent as per instructions on the inside back cover.

Offprints: The authors will receive jointly 25 free offprints of their work.

Copyright: Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all co-authors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US \$ 0.20 per page, or a minimum of US \$ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0178-7675, the volume, and the first and last page number of each article copied. The copyright owner's

consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Subscription information: Volumes 7 and 8 (6 issues each) will appear in 1991. *North America.* Annual subscription rate: Approx. US \$ 671.00 (single issue price: approx. US \$ 41.40) including carriage charges. Subscriptions are entered with prepayment only. Orders should be addressed to: Springer-Verlag New York Inc., Service Center Secaucus, 44 Hartz Way, Secaucus, NJ 07094, USA, Tel. (201) 348-4033, Telex 023-125994, Telefax (201) 348-4505.

All other countries. Annual recommended subscription rate: DM 976.00 plus carriage charges; [Federal Republic of Germany: DM 21.19 incl. value added tax; all other countries: DM 40.20 except for the following countries to which SAL delivery (Surface Airmail Lifted) is mandatory: Japan DM 105.00, India DM 76.20, Australia/New Zealand DM 120.60. Airmail delivery to all other countries is available upon request]. Single issue price: DM 97.60 plus carriage charges. Subscriptions can either be placed via a bookdealer or sent directly to Springer-Verlag, Heidelberger Platz 3, W-1000 Berlin 33, FRG. Tel. (0) 30/82 07-0, Telex 183319, Telefax (0) 30/82 14091.

Changes of address: Allow six weeks for all changes to become effective. All communications should include old and new address (with Postal Codes) and should be accompanied by a mailing label from a recent issue.

Back volumes: Prices are available on request.

Microform: Microform editions are available from: University Microfilms International, 300 N. Zeeb Road, Ann Arbor, MI 48106, USA.

Production: Springer Produktions-Gesellschaft, Heidelberger Platz 3, W-1000 Berlin 33, FRG, Tel. (0) 30/82 07-749, Telex 183319, Telefax (0) 30/82 07449.

Responsible for advertisements: E. Lückermann, Heidelberger Platz 3, W-1000 Berlin 33, FRG, Tel. (0) 30/82 07-0, Telex 185411, Telefax (0) 30/82 07300.

Typesetting: Thomson Press (India) Limited, New Delhi; printing: Color-Druck, Berlin; book-binding: Lüderitz + Bauer, Berlin.

© Springer-Verlag Berlin Heidelberg 1991 - Printed in Germany.
Springer-Verlag GmbH & Co. KG, W-1000 Berlin 33, FRG.

Table of contents

Alliney, S., Carnicer, R. S.: A finite element model for Mindlin plates 299

Anderson, Jr., C. E.: see Predebon, W. W. et al. 221

Atluri, S. N.: see Mello 49

Atluri, S. N.: see Borri, M. et al. 205

Avrashi, J., Bar-Yoseph, P.: Mixed-hybrid finite strip method for 3-D composite structures 253

Bar-Yoseph, P.: see Avrashi, J. 253

Bergmann, V.: see Kollmann, F. G. 89

Bernadou, M., Trouv  , P.: Approximation of general shell problems by flat plate elements. Part 3 1

Beskos, D. E.: see Leung, K. D. et al. 137

Borri, M., Mello, F., Atluri, S. N.: Primal and mixed forms of Hamilton's principle for constrained rigid body systems: numerical studies 205

Bush, M. B.: Stratified Newtonian flow calculations by the boundary element method 195

Carnicer, R. S.: see Alliney, S. 299

Chrysakis, A. C., Tsamasphyros, G.: Numerical solution of Cauchy type singular integral equations with logarithmic weight, based on arbitrary collocation points 21

Coleman, C. J.: see Zheng, R. et al. 279

Cui, D., Zhang, X.: The solution of stress intensity factor for mode II cracking in orthotropic cracked plate by complex variable-variational method 361

Dutta, B. K., Kakodkar, A., Maiti, S. K.: Two singular points finite elements in the analysis of kinked cracks 329

Gao, Y. L.: see Tan, C. L. 381

Gavazzi, A. C., Lagoudas, D. C.: On the numerical evaluation of Eshelby's tensor and its application to elastoplastic fibrous composites 13

Graziani, G.: Green's function method for axisymmetric flows: analysis of the Taylor-Couette flow 77

Heise, U.: Fundamental solutions of Navier's differential operator for elastic Riemann spaces with a finite and with an infinite number of sheets 311

Jiang, H. Y.: see Wang, X. et al. 397

Kakodkar, A.: see Dutta, B. K. et al. 329

Kane, J. H., Wang, H., Kumar, B. L. K.: Nonlinear thermal analysis with a boundary element zone condensation technique 107

Katsikadelis, J. T., Sapountzakis, E. J., Zorba, E. G.: A BEM approach to static and dynamic analysis of plates with internal supports 31

Katsikadelis, J. T., Sapountzakis, E. J.: A BEM solution to dynamic analysis of plates with variable thickness 369

Kawakami, T.: see Sato, K. et al. 173

Kikuchi, F.: see Yamada, T. et al. 149

Koizumi, M., Utamura, M.: A polar coordinate integration scheme with a hierarchical correction procedure to improve numerical accuracy on the boundary element method 183

Kollmann, F. G., Bergmann, V.: Numerical analysis of viscoplastic axisymmetric shells based on a hybrid strain finite element 89

Kondo, S.: see Koshizuka, S. et al. 123

Koshizuka, S., Oka, Y., Kondo, S.: A staggered differencing technique on boundary-fitted curvilinear grids for incompressible flows along curvilinear or slant walls 123

Kumar, B. L. K.: see Kane, J. H. et al. 107

Lagoudas, D. C.: see Gavazzi, A. C. 13

Lee, L. H. N.: see Wang, X. et al. 397

Lee, T. S.: A false transient approach to steady state solution of fluid flow through vascular constrictions 269

Leung, K. D., Beskos, D. E., Vardoulakis, I. G.: Vibration isolation using open or filled trenches. Part 3 137

Li, Y.-N.: see Liang, R. Y. K. 413

Liang, R. Y. K., Li, Y.-N.: Simulations of nonlinear fracture process zone in cementitious material—a boundary element approach 413

Maiti, S. K.: see Dutta, B. K. et al. 329

Mello, D., Atluri, S. N.: Variational approaches for dynamics and time-finite-elements: numerical studies 49

Mello, F.: see Borri, M. et al. 205

Nguyen, S. H.: see Surana, K. S. 289

Oka, Y.: see Koshizuka, S. et al. 123

Orth, N. J.: see Surana, K. S. 341

Phan-Thien, N.: see Zheng, R. et al. 279

Predebon, W. W., Anderson, Jr., C. E., Walker, J. D.: Inclusion of evolutionary damage measures in Eulerian wave-codes 221

Reissner, E.: A mixed variational equation for a twelfth-order theory of bending of nonhomogeneous transversely isotropic plates 355

Saldanha da Gama, R. M.: Dynamical analysis of a compressible elastic rod in the current configuration 41

Sapountzakis, E. J.: see Katsikadelis, J. T. et al. 31

Sapountzakis, E. J.: see Katsikadelis, J. T. 369

Sato, K., Yamamoto, S., Kawakami, T.: Bifurcation sets and chaotic states of a gear system subjected to harmonic excitation 173

Sorem, R. M.: see Surana, K. S. 237

Surana, K. S., Nguyen, S. H.: Hierarchical three dimensional curved beam element based on *p*-version 289

Surana, K. S., Orth, N. J.: *p*-Version hierarchical three dimensional curved shell element for heat conduction 341

Surana, K. S., Sorem, R. M.: Completely hierarchical *p*-version curved shell element for laminated composite plates and shells 237

Tan, C. L., Gao, Y. L.: Axisymmetric boundary integral equation analysis of interface cracks between dissimilar materials 381

Trouv  , P.: see Bernadou, M. 1

Tsamasphyros, G.: see Chrysakis, A. C. 21

Utamura, M.: see Koizumi, M. 183

Vardoulakis, I. G.: see Leung, K. D. et al. 137

Wada, A.: see Yamada, T. et al. 149

Walker, J. D.: see Predebon, W. W. et al. 221

Wang, H.: see Kane, J. H. et al. 107

Wang, X., Jiang, H. Y., Lee, L. H. N.: Finite deformation formulation of a shell element for problems of sheet metal forming 397

Yamamoto, S.: see Sato, K. et al. 173

Yamada, T., Kikuchi, F., Wada, A.: A 9-node mixed shell element based on the Hu-Washizu principle 149

Zhang, X.: see Cui, D. 361

Zheng, R., Coleman, C. J., Phan-Thien, N.: A boundary element approach for non-homogeneous potential problems 279

Zorba, E. G.: see Katsikadelis, J. T. et al. 31

Announcements 428

